
SIG 1534

Standard high-voltage lamps, road traffic



Areas of application

- Road traffic signalling systems

Product datasheet

Technical data


Electrical data

Nominal wattage	40.0 W
Nominal voltage	230...240 V
Test voltage	235 V

Photometrical data

Nominal luminous flux	230 lm
-----------------------	--------

Dimensions & weight



E27
IEC 7004-21

Diameter	62.0 mm
Overall length	110.0 mm
Light center length (LCL)	69.0 mm ¹⁾

¹⁾ Distance from the coil to the top of base

Additional product data

Base (standard designation)	E27
Product remark	Not for new designs

Capabilities

Burning position	s135 ¹⁾
------------------	--------------------

¹⁾ Only the permissible burning position may be used otherwise the lamp will fail prematurely

Country specific categorizations

Order reference	SIG 1534 CL 40W
-----------------	-----------------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
--------------	------------	------------	------------	--------

Product datasheet

4050300219288	-	8334802	4733751	-
4050300984339	OSRSIG1534IVP	-	-	-

Product datasheet

Safety advice

Use only in equipment/luminaires that are specially designed for the purpose.
Protect the lamps against moisture during operation and installation.



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300219288	SIG 1534	Folding carton box 1	104 mm x 58 mm x 58 mm	0.35 dm ³	42.10 g
4050300219295	SIG 1534	Shipping carton box 100	596 mm x 222 mm x 301 mm	39.83 dm ³	4618.00 g
4050300984339	SIG 1534	Unpacked 1	35 mm x 25 mm x 28 mm	0.02 dm ³	36.00 g
4050300032474	SIG 1534	Shipping carton box 100	400 mm x 373 mm x 272 mm	40.58 dm ³	3965.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.